


Dimensions to be verified on site. Use figured dimensions only. Do not work from reduced scale drawings. Please refer to scale and sheet size as indicated.

This drawing is the property of MPN UK Ltd. Copyright is reserved by them and the drawing is issued on the condition that it is not copied, reproduced, retained or disclosed to any unauthorised person without the prior consent in writing of MPN UK Ltd.




LOCATION PLAN


GENERAL NOTES

- ALL STEELWORK TO BE GRADE S355 TO BS EN 10025. UNO. ALL STEELWORK TO BE NORMAL TEMPERATURE IN ACCORDANCE WITH TABLE 4, BS 5950-1. ALL STEELWORK TO BE GRADE S355 TO BS EN 10025. UNO. ALL STEELWORK TO BE NORMAL TEMPERATURE IN ACCORDANCE WITH TABLE 4, BS 5950-1.
- MAXIMUM THICKNESS FOR PLATES, FLATS AND ROLLED SECTIONS.


TEMPERATURE	NORMAL TEMPERATURES	
	Internal	External
S355JR	25mm	14mm
S355J2	46mm	38mm
S355J2E4	66mm	55mm
S355K2C3	75mm	68mm
S355NL	114mm	95mm
T.B.C. BY DESIGN	115mm +	96mm +
- TEMPORARY WORKS DESIGN IS BY OTHERS
- ALL DIMENSIONS ARE IN MILLIMETRES UNO AND TO BE CONFIRMED BY ARCHITECT PRIOR TO CONSTRUCTION (DO NOT SCALE OFF THIS DRAWING)
- LOAD COMBINATIONS ARE BASED ON BRITISH CODE LOAD COMBINATION REQUIREMENTS.
- SITE SURVEY TO BE UNDERTAKEN PRIOR TO WORKS TO CONFIRM EXISTING COLUMN SIZES, BEAM SIZES AND CONNECTION DETAILS.
- ALL STEELWORK CONNECTIONS TO BE DESIGNED AND DETAILED BY CONTRACTOR IN ACCORDANCE WITH THE STEELWORK SPECIFICATION.
- THE STEELWORK IS TO BE INTUMESCENT PAINTED BEFORE BEING BROUGHT TO SITE.
- FIRE PROTECTION TO ALL STEELWORK IS TO BE TO THE FIRE ENGINEER'S DETAILS AND SPECIFICATIONS.
- FOR PAINT FINISHES REFER TO ARCHITECTURAL DRAWINGS AND SPECIFICATION.
- ADD MINIMUM 10mm DRY PACK BETWEEN TOP OF NEW BEAM AND EXISTING SLAB



PART LEVEL 20 DEMOLITION PLAN 1:50



PART LEVEL 20 STEELWORK PLAN 1:50



L20-01 1:10

L20-02 1:10

L20-03 1:10

PO2 08 10 2020	REVISED AS BELOW	C.S.	S.C.
02/01 OF LIST OF REVISIONS			
PG1 14 02 2020	REVISED AS BELOW	C.S.	S.C.
FLOOR PROTECTION AREA APPLIED			
PG2 14 02 2020	RETROFIT BEAM ADDED	C.S.	S.C.
No.	Date	Rev	By

COPYRIGHT: THIS DESIGN AND PLANS ARE NOT TO BE USED OR REPRODUCED WHOLLY OR IN PART WITHOUT WRITTEN PERMISSION OF MPN UK LIMITED

Consultant
MPN UK LIMITED
CONSULTING ENGINEERS
167 TOWER BRIDGE ROAD, LONDON SE1 1LN
Tel: +44 (0) 20 7403 2207 Fax: +44 (0) 20 7403 2701
EMAIL: email@mpnuk.co.uk MPN Job No: 0020



Client
MeyerBergman

Project
BRADFORD BROADWAY

Drawing Title
**ZONE Z2
LEVEL 20 NINJA WARRIOR
RETROFIT WORKS**

Comp. File No.	Status		
C:\REVIT LOCAL FILES\2020-2019-22-09-10-2020-04	S3		
Drawn by	Designed by	Checked by	Approved by
CS	SC	SC	SC
Scale:	Date:	Revision:	
As indicated @ A0	14.02.2020		

BB-MPN-Z2-20-DR-S-20302 P02

Purpose of Issue
Issued for Review and Comment

Production Information