




4 STAIR 4 - ENLARGED PLAN - LEVEL P2
1/4" = 1'-0"




3 STAIR 4 - ENLARGED PLAN - LEVEL P1
1/4" = 1'-0"




2 STAIR 3 - ENLARGED PLAN ROOF
1/4" = 1'-0"




1 LEVEL 2 PLAN - B (LEVELS 3 & 4 SIMILAR)
1/4" = 1'-0"



8 STAIR 4 - ENLARGED PLAN - ROOF
1/4" = 1'-0"



7 STAIR 4 - ENLARGED PLAN - LEVEL L4, L5
1/4" = 1'-0"



6 STAIR 4 - ENLARGED PLAN - LEVEL L3
1/4" = 1'-0"

5 STAIR 4 - ENLARGED PLAN - LEVEL P3
1/4" = 1'-0"

NOTES:

- THE NOTES AND DETAILS ON THIS SHEET ARE INTENDED TO PROVIDE GUIDANCE FOR THE DESIGN OF A COMPLETE STAIR SYSTEM TO BE PROVIDED BY OTHERS.
- PROVIDE COMPLETE DRAWINGS AND CALCULATIONS PREPARED AND STAMPED BY AN ENGINEER LICENSED BY THE STATE OF CALIFORNIA TO PROVIDE SUCH DESIGN. THIS SUBMITTAL BEARING THE ENGINEER OF RECORD'S REVIEW STAMP FOR APPROVAL PRIOR TO CONSTRUCTION.
- REFER TO SHEET S0.01 FOR FURTHER INFO. ON STAIR REQUIREMENT.
- INDICATES ASSUMED STAIR SLIDING CONNECTION AT FLOOR, SEE (2) S5.34 FOR CONNECTION DETAIL.
- ★ INDICATES ASSUMED STAIR GRAVITY AND SEISMIC CONNECTION AT FLOOR, SEE (1) S5.37 FOR CONNECTION DETAIL.
- INDICATES ASSUMED LANDING SUPPORT FOR GRAVITY AND SEISMIC LOADING AT MID-HEIGHT OF VERTICAL POST.
- WHERE HANGER RODS ARE REQUIRED, SEE (19) S5.32
- PROVIDE L4X3x1/4, INSTALL ANGLE NOT EXCEEDING 4" FROM STAIR STRINGER, SEE (1) S5.37 FOR CONNECTION DETAIL.

STAIRS 3 & 4 FRAMING PLANS